



Ardmore Park Quarry

Environmental Monitoring Report

1 January 2024 - 31 December 2024

Site information

| Site Name | Ardmore Park Quarry |
|-----------------------|---|
| Address | 5152 Oallen Ford Road, Bungonia NSW, 2580 |
| Project Approval | PA 07_0155 (Mod 3) |
| Environmental Licence | EPL 13213 |

Licensee information

| Name | CEAL Limited (Multiquip Quarries) |
|----------------------------|--|
| Registered Address | 260 Tenth Avenue, Austral NSW, 2079 |
| Post Address | PO Box 4, Austral, 2079 |
| Australian Business Number | 44 101 930 714 |
| Email | enquiries@multiquip.com.au |
| Phone | 02 9606 0557 |

Background

The Ardmore Park Quarry Project (the quarry) is a sand and basalt rock quarry located at 5152 Oallen Ford Road, near the village of Bungonia in the NSW Southern Tablelands. The quarry site is approximately 20 km south of the town of Marulan, and 200 km south-west of Sydney. The quarry is operated by CEAL Limited trading as Multiquip Quarries (Multiquip).

The quarry is currently approved to extract up to 400,000 tonnes of mixed quarry products per year, until June of 2039. Quarried materials are transported via road to Sydney, Canberra, the NSW South Coast and regional customers.

The quarry operates under Project Approval 07_0155 (the approval) and Environment Protection Licence 13213 (the EPL). Copies of the current version of both documents can be accessed at Multiquip Quarries website <www.mqquarry.com.au>. Both the approval and the licence require the implementation of certain environmental monitoring programs, to ensure that the project remains compliant with established environmental impact criteria.

This document contains some of the key environmental monitoring results collected by the quarry on an ongoing basis. It does not describe the quarry's compliance criteria or the environmental performance of the project in the context of its ongoing approval-related obligations. Multiquip Quarries is required by Schedule 5(10) of the Project Approval to publish environmental monitoring results as they are obtained. This report has additionally been prepared in accordance with the EPL and with reference to the *Requirements for publishing pollution monitoring data* prepared by the NSW Environment Protection Authority (EPA, 2013).

A summary of the typical environmental monitoring undertaken by the quarry as well as the locations of sampling sites and indicative frequencies of sampling can be found within the Environmental Monitoring Program, available on the Multiquip Quarries website.

A more detailed presentation and discussion of monitoring results in context with the performance criteria and predicted impacts of the quarry is provided in the Annual Review. The Annual Review is prepared in March of each year to describe the activities and environmental performance of the project for the preceding calendar year. All previous Annual Reviews can be found on the Multiquip Quarries website.

An Annual Return, detailing the results of each year's environmental monitoring is lodged to the NSW EPA directly at the conclusion of each reporting year. The Annual Return contains details of any incidents or non-compliances with the quarry's EPL. Copies of each year's Annual Return, in addition to a copy of the current and previous versions of the EPL can be found at the NSW EPA's website <<https://www.epa.nsw.gov.au/>>.

Readers should note that monitoring requirements may vary throughout the life of the quarry as a consequence of updates to the approval, EPL and site management plans. Changes to the in-force monitoring regime are discussed in each Annual Review.

A list of the environmental parameters currently required to be measured on an ongoing basis by the quarry is presented in Table 1 below.

Table 1 - Environmental monitoring requirements

| Parameter | Sample Type | Assessed By |
|-----------------------------------|--|--|
| Deposited Dust | Bottled sample | NATA approved laboratory |
| Particulate Matter (PM) | Continuous PM2.5 and PM10 monitoring station | Autonomous PM monitoring station located on quarry site |
| Standing Water Level (SWL) | Measure of water level depth within monitoring bores | Physical measurement – water level meter |
| Water quality | Bottled samples, collected from monitoring bores and springs | NATA approved laboratory |
| Spring flow rate | Measure of flow rate of selected spring features on multiple adjoining properties | Autonomous logger and visual/physical assessment |
| Noise | Attended noise survey | Third party consultant |
| Meteorological/Weather monitoring | Diverse weather specific parameters including temperature, humidity, wind speed/direction etc. | Autonomous weather monitoring station located on quarry site |
| Community complaints | Register of community complaints | Register kept on site, maintained by Multiquip staff |




Figure 1: Ardmore Park monitoring locations (relevant to the data represented in this report).

Standing Water Level (SWL)

Sand Bores

| Month | BH6 | BHS1 | BHS2 | BHS3 | BHS4 | BHS5 | BHS6 |
|--------|-------|-------|------|------|------|------|------|
| Jan-24 | 14.57 | 9.97 | 5.49 | 4.32 | 4.7 | 7.24 | |
| Feb-24 | 14.6 | 10.03 | 5.55 | 4.35 | 4.54 | 7 | |
| Mar-24 | 14.53 | 10.11 | 5.62 | 4.44 | 4.46 | 6.77 | |
| Apr-24 | | 10.17 | 5.67 | 4.48 | 4.57 | 6.73 | |
| May-24 | 14.46 | 10.2 | 5.73 | 4.54 | 4.66 | 6.7 | |
| Jun-24 | 14.52 | 10.16 | 5.58 | 3.8 | 4.56 | 6.62 | |
| Jul-24 | 14.47 | 10.06 | 5.49 | 4.13 | 4.29 | 6.45 | |
| Aug-24 | 14.48 | 10.07 | 5.55 | 4.25 | 4.17 | 6.32 | |
| Sep-24 | 14.42 | 10.12 | 5.60 | 4.33 | 4.28 | 6.32 | |
| Oct-24 | 14.38 | 10.17 | 5.67 | 4.41 | 4.36 | 6.37 | |
| Nov-24 | 14.41 | 10.38 | 5.82 | 4.5 | 4.41 | 6.53 | |
| Dec-24 | 14.36 | 10.4 | 5.92 | 4.61 | 4.46 | 6.55 | |


Yellow cells indicate unavailable data. BHS6 not currently accessible. BH6 inaccessible in April 2024.

Standing Water Level (SWL)

Hard Rock Bores

| Month | BHAP1 | BHAP10 | BHAP5 | BHAP6 |
|--------|-------|--------|-------|-------|
| Jan-24 | 7.45 | 26.43 | 54.57 | 62.80 |
| Feb-24 | 7.63 | 26.49 | 54.50 | 62.60 |
| Mar-24 | 7.64 | 26.50 | 54.40 | 62.35 |
| Apr-24 | 7.56 | 26.38 | 54.17 | 61.97 |
| May-24 | 7.69 | 26.42 | 54.13 | 61.80 |
| Jun-24 | 7.31 | 26.25 | 53.84 | 61.30 |
| Jul-24 | 6.97 | 26.22 | 53.67 | 61.09 |
| Aug-24 | 6.94 | 26.16 | 53.72 | 61.55 |
| Sep-24 | 6.96 | 26.19 | 53.63 | 66.80 |
| Oct-24 | 6.98 | 26.11 | 53.93 | 61.98 |
| Nov-24 | 6.80 | 26.02 | 54.13 | 82.03 |
| Dec-24 | 6.99 | 26.60 | 54.38 | 63.47 |


SWL (m) TOC



Spring Flow Rate (L/day)

| Month | Reporting Year | Phils Spring (V-notch weir) | Southern Spring | Western Spring | Notes |
|--------|----------------|--------------------------------|-----------------|----------------|---|
| Jan-24 | 2023-24 | 5206.30 | 0.00 | 0.00 | |
| Feb-24 | 2023-24 | 4784.77 | 0.00 | 0.00 | |
| Mar-24 | 2023-24 | 3787.66 | 0.00 | 0.00 | |
| Apr-24 | 2023-24 | 4838.40 | 0.00 | 0.00 | |
| May-24 | 2023-24 | 5184.00 | 0.00 | 0.00 | |
| Jun-24 | 2023-24 | 16493.76 | 0.00 | 0.00 | |
| Jul-24 | 2023-24 | 9141.68 | 0.00 | 0.00 | |
| Aug-24 | 2023-24 | 8190.15 | 0.00 | 0.00 | |
| Sep-24 | 2024-25 | | 0.00 | 0.00 | Phils Spring V-notch weir data unavailable for September. |
| Oct-24 | 2024-25 | 14400.00 | 0.00 | 0.00 | Manual estimate taken for Phils Spring in October. |
| Nov-24 | 2024-25 | 8674.70 | 0.00 | 0.00 | Manual measurement taken for Phils Spring. |
| Dec-24 | 2024-25 | 8089.89 | 0.00 | 0.00 | Manual measurement taken for Phils Spring. |

Yellow cells indicate unavailable data. Note: Phils Spring flow rate is measured by the V-notch weir auomated logger, Southern and Western Spring flow rates are estimated manually.



Deposited Dust


| Month | EPL# | Name | Ash Content (g/m ² /month) | Combustible Matter (g/m ² /month) | Total Soluble Matter (g/m ² /month) | Total Insoluble Matter (g/m ² /month) | Total Solids (g/m ² /month) |
|--------|------|----------------|--|--|--|--|---|
| Jan-24 | 1 | Inverary Park | 0.7 | <0.1 | 1.4 | 0.7 | 2.1 |
| Jan-24 | 2 | The Osiers | 0.1 | <0.1 | 1.2 | 0.1 | 1.3 |
| Jan-24 | 3 | Lochmoor Lodge | 0.2 | 0.4 | 1.2 | 0.6 | 1.8 |
| Jan-24 | 4 | Front Entrance | 0.2 | 0.1 | 0.8 | 0.3 | 1.1 |
| Jan-24 | | East Fence | 1.4 | 1.9 | 16.6 | 3.3 | 19.9 |
| Feb-24 | 1 | Inverary Park | 1.5 | 0.5 | 0.4 | 2 | 2.4 |
| Feb-24 | 2 | The Osiers | 0.4 | 0.4 | 1.4 | 0.8 | 2.2 |
| Feb-24 | 3 | Lochmore Lodge | 0.8 | 0.7 | 1.3 | 1.5 | 2.8 |
| Feb-24 | 4 | Front Entrance | 0.5 | 0.2 | 0.7 | 0.7 | 1.4 |
| Feb-24 | | East Fence | <0.1 | 0.2 | 2.6 | 0.2 | 2.8 |
| Mar-24 | 1 | Inverary Park | 0.2 | 0.9 | 3.8 | 1.1 | 4.9 |
| Mar-24 | 2 | The Osiers | 0.1 | <0.1 | 0.3 | 0.1 | 0.4 |
| Mar-24 | 3 | Lochmoor Lodge | 0.3 | <0.1 | 1.6 | 0.3 | 1.9 |
| Mar-24 | 4 | Front Entrance | 0.2 | <0.1 | 2.2 | 0.2 | 2.4 |
| Mar-24 | | East Fence | 0.2 | <0.1 | 0.2 | 0.2 | 0.4 |
| Apr-24 | 1 | Inverary Park | 2.3 | 0.3 | 0.5 | 2.6 | 3.1 |
| Apr-24 | 2 | The Osiers | 0.1 | <0.1 | <0.1 | 0.1 | 0.1 |
| Apr-24 | 3 | Lochmoor Lodge | 0.2 | 0.2 | 0.4 | 0.4 | 0.8 |
| Apr-24 | 4 | Front Entrance | 0.3 | 0.1 | <0.1 | 0.4 | 0.4 |
| Apr-24 | | East Fence | 0.7 | 1.6 | 5.1 | 2.3 | 7.4 |
| May-24 | 1 | Inverary Park | 3.3 | 1.5 | 5.8 | 4.8 | 10.6 |
| May-24 | 2 | The Osiers | 0.1 | <0.1 | 2.7 | 0.1 | 2.8 |
| May-24 | 3 | Lochmoor Lodge | 0.4 | 0.7 | 4.5 | 1.1 | 5.6 |
| May-24 | 4 | Front Entrance | 0.2 | 0.2 | 2.4 | 0.4 | 2.8 |
| May-24 | | East Fence | 0.9 | 0.5 | 6.2 | 1.4 | 7.6 |
| Jun-24 | 1 | Inverary Park | 0.7 | 0.5 | 1.2 | 1.2 | 2.4 |
| Jun-24 | 2 | The Osiers | 0.1 | 0.1 | 0.5 | 0.2 | 0.7 |
| Jun-24 | 3 | Lochmoor Lodge | <0.1 | 0.3 | 0.6 | 0.3 | 0.9 |

Deposited Dust


| Month | EPL# | Name | Ash Content (g/m ² /month) | Combustible Matter (g/m ² /month) | Total Soluble Matter (g/m ² /month) | Total Insoluble Matter (g/m ² /month) | Total Solids (g/m ² /month) |
|--------|------|----------------|--|--|--|--|---|
| Jun-24 | 4 | Front Entrance | 0.3 | <0.1 | <0.1 | 0.3 | 0.3 |
| Jun-24 | | East Fence | 1.5 | 5.2 | 7.7 | 6.7 | 14.4 |
| Jul-24 | 1 | Inverary Park | 0.5 | 0.6 | 1.9 | 1.1 | 3 |
| Jul-24 | 2 | The Osiers | 0.4 | 0.6 | 1.1 | 1 | 2.1 |
| Jul-24 | 3 | Lochmoor Lodge | 0.2 | 0.2 | 2.4 | 0.4 | 2.8 |
| Jul-24 | 4 | Front Entrance | 0.3 | <0.1 | 1.6 | 0.3 | 1.9 |
| Jul-24 | | East Fence | 0.4 | 0.2 | 2.3 | 0.6 | 2.9 |
| Aug-24 | 1 | Inverary Park | <0.1 | 0.3 | 2.7 | 0.3 | 3 |
| Aug-24 | 2 | The Osiers | 0.5 | 1.1 | <0.1 | 1.6 | 1.6 |
| Aug-24 | 3 | Lochmoor Lodge | 0.1 | 0.3 | <0.1 | 0.4 | 0.4 |
| Aug-24 | 4 | Front Entrance | <0.1 | 0.4 | 2.9 | 0.4 | 3.3 |
| Aug-24 | | East Fence | 3.2 | 2.3 | 1.1 | 5.5 | 6.6 |
| Sep-24 | 1 | Inverary Park | 0.3 | 0.3 | 2.3 | 0.6 | 2.9 |
| Sep-24 | 2 | The Osiers | 0.1 | 0.1 | 0.3 | 0.2 | 0.5 |
| Sep-24 | 3 | Lochmoor Lodge | 0.2 | 0.1 | <0.1 | 0.3 | 0.3 |
| Sep-24 | 4 | Front Entrance | 7.3 | 8.6 | 13.6 | 15.9 | 29.5 |
| Sep-24 | | East Fence | 4.9 | 0.7 | 0.2 | 5.6 | 5.8 |
| Nov-24 | 1 | Inverary Park | 0.1 | 0.5 | 0.2 | 0.5 | 0.7 |
| Nov-24 | 2 | The Osiers | 0.1 | 0.5 | 1 | 0.7 | 1.6 |
| Nov-24 | 3 | Lochmoor Lodge | 0.1 | 0.8 | 1.3 | 0.9 | 2.2 |
| Nov-24 | 4 | Front Entrance | 0.3 | 1.9 | < 0.1 | 2.2 | 2.2 |
| Nov-24 | | East Fence | 0.1 | 1.1 | 0.2 | 1.2 | 1.4 |
| Dec-24 | 1 | Inverary Park | < 0.1 | 0.2 | < 0.1 | 0.2 | 0.2 |
| Dec-24 | 2 | The Osiers | < 0.1 | 1 | 0.3 | 1.1 | 1.4 |
| Dec-24 | 3 | Lochmoor Lodge | < 0.1 | 0.4 | < 0.1 | 0.4 | 0.4 |
| Dec-24 | 4 | Front Entrance | < 0.1 | 0.1 | 2.1 | 0.1 | 2.2 |
| Dec-24 | | East Fence | 0.2 | 0.9 | 1.1 | 1 | 2.2 |

Water Analysis (Jan - Oct)


pH & Alkalinity



Electrical Conductivity (EC) & Total Dissolved Solids (TDS)




Ionic Balance




The bar chart displays the concentration of seven metals (Arsenic, Cadmium, Chromium, Copper, Lead, Nickel, and Mercury) in mg/L across 14 monitoring points. The y-axis ranges from 0.00 to 0.10 mg/L. The x-axis lists the monitoring points: BH6, BHAP1, BHAP10, BHAP5, BHAP6, BHS1, BHS2, BHS3, BHS4, BHS5, BHS6, Phils Spring, Southern Spring, and Western Spring. Nickel is the most prevalent metal, with significant concentrations at BH6 (approx. 0.088 mg/L) and BHS1 (approx. 0.036 mg/L). Chromium and Copper also show notable concentrations at BH6. Arsenic concentrations are generally low, with a slight increase at BHS5. Mercury concentrations are consistently near zero across all monitoring points.

| Monitoring Point | Arsenic | Cadmium | Chromium | Copper | Lead | Nickel | Mercury |
|------------------|---------|---------|----------|--------|-------|--------|---------|
| BH6 | 0.001 | 0.000 | 0.040 | 0.024 | 0.037 | 0.088 | 0.000 |
| BHAP1 | 0.001 | 0.000 | 0.001 | 0.001 | 0.001 | 0.001 | 0.000 |
| BHAP10 | 0.008 | 0.000 | 0.006 | 0.003 | 0.001 | 0.021 | 0.000 |
| BHAP5 | 0.003 | 0.000 | 0.001 | 0.001 | 0.001 | 0.001 | 0.000 |
| BHAP6 | 0.002 | 0.000 | 0.001 | 0.006 | 0.002 | 0.001 | 0.000 |
| BHS1 | 0.001 | 0.000 | 0.006 | 0.006 | 0.001 | 0.036 | 0.000 |
| BHS2 | 0.001 | 0.000 | 0.001 | 0.001 | 0.001 | 0.007 | 0.000 |
| BHS3 | 0.001 | 0.000 | 0.001 | 0.001 | 0.001 | 0.029 | 0.000 |
| BHS4 | 0.003 | 0.000 | 0.001 | 0.001 | 0.001 | 0.003 | 0.000 |
| BHS5 | 0.009 | 0.000 | 0.001 | 0.001 | 0.001 | 0.013 | 0.000 |
| BHS6 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| Phils Spring | 0.002 | 0.000 | 0.001 | 0.001 | 0.001 | 0.001 | 0.000 |
| Southern Spring | 0.002 | 0.000 | 0.001 | 0.001 | 0.001 | 0.007 | 0.000 |
| Western Spring | 0.001 | 0.000 | 0.001 | 0.001 | 0.001 | 0.005 | 0.000 |

Total Metals - Manganese, Zinc, Iron



Hydrocarbons & BTEXN*





* All results below LOR censored as LOR/2.

Particulate Matter (PM) - 24hr Average

| Month | PM2.5_W 24hr avg. ($\mu\text{g}/\text{m}^3$) | PM10_W 24hr avg. ($\mu\text{g}/\text{m}^3$) | PM2.5_E 24hr avg. ($\mu\text{g}/\text{m}^3$) | PM10_E 24hr avg. ($\mu\text{g}/\text{m}^3$) | Limit: PM10 ($\mu\text{g}/\text{m}^3$) | Limit: PM2.5 ($\mu\text{g}/\text{m}^3$) |
|-----------------------|---|--|---|--|---|--|
| Jan-24 | 2.69 | 2.93 | 1.98 | 2.10 | 50/24hr | 25/24hr |
| Feb-24 | 3.03 | 3.39 | 2.37 | 2.55 | 50/24hr | 25/24hr |
| Mar-24 | 3.86 | 4.42 | 2.84 | 2.70 | 50/24hr | 25/24hr |
| Apr-24 | 3.50 | 3.92 | 2.38 | 2.49 | 50/24hr | 25/24hr |
| May-24 | 3.41 | 4.20 | 1.63 | 1.75 | 50/24hr | 25/24hr |
| Jun-24 | 1.86 | 2.04 | 1.21 | 1.24 | 50/24hr | 25/24hr |
| Jul-24 | 1.29 | 1.67 | 0.86 | 1.01 | 50/24hr | 25/24hr |
| Aug-24 | 2.76 | 3.50 | 1.89 | 2.15 | 50/24hr | 25/24hr |
| Sep-24 | 2.10 | 2.36 | 1.40 | 1.49 | 50/24hr | 25/24hr |
| Oct-24 | 1.74 | 2.08 | 1.27 | 1.44 | 50/24hr | 25/24hr |
| Nov-24 | 2.39 | 2.69 | 2.04 | 2.20 | 50/24hr | 25/24hr |
| Dec-24 | 2.74 | 3.14 | 2.30 | 2.52 | 50/24hr | 25/24hr |
| Annual Average | 2.61 | 3.03 | 1.85 | 1.97 | 25/yr | 8/yr |

Yellow cells indicate unavailable data.



Noise

| Month | Time | Location | EPL Point | Laeq at measurement point | Estimated Laeq at assessment point | Category | Compliant? |
|--------|-------------|---------------------|-----------|---------------------------|------------------------------------|----------|------------|
| Mar-24 | 6:30:00 AM | 5025 Oallen Ford Rd | 4 | 61 | ≤40 | Quarry | Yes |
| Mar-24 | 7:00:00 AM | 5028 Oallen Ford Rd | 5 | 60 | <30 | Quarry | Yes |
| Mar-24 | 8:00:00 AM | 5046 Oallen Ford Rd | 6 | 48 | <30 | Quarry | Yes |
| Mar-24 | 8:30:00 AM | 5194 Oallen Ford Rd | 9 | 46 | <30 | Quarry | Yes |
| Mar-24 | 10:00:00 AM | 40 Broadhead Ln | 3 | 45 | <30 | Quarry | Yes |
| Mar-24 | 10:30:00 AM | 28 King St | - | 60 | <25 | Road | Yes |
| Mar-24 | 10:45:00 AM | 28 King St | - | 59 | <25 | Road | Yes |
| Mar-24 | 11:15:00 AM | 328 Jerrara Rd | - | 65 | 46 | Road | Yes |
| Mar-24 | 11:30:00 AM | 328 Jerrara Rd | - | 66 | - | Road | Yes |
| Mar-24 | 11:15:00 AM | 989 Jerrara Rd | - | 65 | 46 | Road | Yes |
| Mar-24 | 11:30:00 AM | 989 Jerrara Rd | - | 66 | - | Road | Yes |
| Mar-24 | 11:45:00 AM | 989 Jerrara Rd | - | 65 | 47 | Road | Yes |
| Nov-24 | 12:00:00 AM | 5028 Oallen Ford Rd | 5 | 57 | ≤30 | Quarry | Yes |
| Nov-24 | 12:00:00 AM | 5046 Oallen Ford Rd | 6 | 54 | ≤30 | Quarry | Yes |
| Nov-24 | 12:00:00 AM | 5025 Oallen Ford Rd | 4 | 45 | ≤35 | Quarry | Yes |
| Nov-24 | 12:00:00 AM | 40 Broadhead Ln | 3 | 45 | ≤30 | Quarry | Yes |
| Nov-24 | 12:00:00 AM | 28 King St | | 63 | 53 | Road | Yes |
| Nov-24 | 12:00:00 AM | 28 King St | | 59 | NA | Road | Yes |
| Nov-24 | 12:00:00 AM | 5477 Oallen Ford Rd | | 64 | 47 | Road | Yes |
| Nov-24 | 12:00:00 AM | 989 Jerrara Rd | | 79 | 47 | Road | Yes |
| Nov-24 | 12:00:00 AM | 328 Jerrara Rd | | 65 | 47 | Road | Yes |
| Nov-24 | 12:00:00 AM | 328 Jerrara Rd | | 65 | 51 | Road | Yes |